



**NOTIFIED BODY No. 1488
BUILDING RESEARCH INSTITUTE
CERTIFICATION DEPARTMENT**

ul. FILTROWA 1, 00-611 WARSZAWA
tel.: + 48 (22) 57 96 167, + 48 (22) 57 96 168, fax: + 48 (22) 57 96 295
e-mail: certyfikacja@itb.pl, www.itb.pl



AC 020

**CERTIFICATE OF CONFORMITY
OF THE FACTORY PRODUCTION CONTROL**

1488-CPR-0350/Z

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

Sormat Drop in anchor LA+ and LAL+

**Deformation-controlled expansion anchor in the size of M6, M8
and M10 for multiple use for non-structural application in concrete**

The anchor is to be used only for anchorages subject to static or quasi-static loading in reinforced or unreinforced normal weight concrete of strength classes C20/25 at minimum and C50/60 at most according to EN 206-1:2000-12. The anchor may be used in cracked and non-cracked concrete.

The anchor made of zinc-plated steel may only be used in structures subject to dry internal conditions.
Performance of the product is given in the relevant Annexes in ETA-13/0441 of 14.07.2014.

produced by for:

**SORMAT OY
Harjutie 5
FIN - 21290 RUSKO - Finland**

in the manufacturing plants:

84-269

886-270

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in the ETA:

ETA-13/0441

under system 2+ for the performances set out in this certificate are applied and that

the factory production control fulfils all the prescribed requirements for these performances.

This certificate was first issued on 25.03.2014 (updated on 03.11.2014) and will remain valid as long as long as the ETA remains valid and the manufacturing conditions in the plant or the factory production control itself are not modified significantly, unless suspended or withdrawn by the factory production control certification body.

HEAD
of the Certification Department


Barbara Dobosz



DEPUTY DIRECTOR
of the Building Research Institute


Marek Kaproń

Warsaw, 03.11.2014