




Tropic®









C

Tropic

Tropic

Tropic



Тип кромки	Размер панели (мм)	Вес плит (кг/м ²)	Подвесная система
A15 	600 x 600 x 15	1,9	RockLink 15
A24 	600 x 600 x 15 1200 x 600 x 15	1,9 1,9	RockLink 24
D 	600 x 600 x 20 1200 x 600 x 20	3,5 3,5	RockLink System Z
D/AEX 	600 x 600 x 20 1200 x 600 x 20 1800 x 600 x 20	3,5 3,5 3,5	RockLink Bandraaster
E15 	600 x 600 x 15 1200 x 600 x 15	2,5 2,5	RockLink 15
E24 	600 x 600 x 15 1200 x 600 x 15	2,4 2,4	RockLink 24
M 	600 x 600 x 20 1200 x 600 x 20	3,5 3,5	RockLink 24 System M
X 	600 x 600 x 22 1200 x 600 x 22	3,5 3,5	RockLink 24

Rockfon






ISO 354.

α_p, α_w
ISO 11654.

ASTM C 423.



Общая информация:

Rockfon

1000 °C.

Класс пожарной опасности (Реакция на огонь): K A1
EN 13501-1.

1, 30244-94.

Огнезащита:

Rockfon
Rockfon
EN 13501-2.



()
(0 °C 40 °C 100%)

Tropic EN 13964. 1/C/ON
700) 2/C/ON.



White () 86%
ISO 7724-2.



Rockfon

Rockfon




Rockfon
(the Danish Indoor Climate Label)
(M1))

(the Finnish Indoor Climate label
(M1)).

Tropic

ROCKFON



ROCKFON Russia

(ROCKWOOL A/S)

105064,

, 9

+7 (495) 995 7755

+7 (495) 995 7775

www.rockfon.ru